

<b>Notice of Allowability</b>	<b>Application No.</b>	<b>Applicant(s)</b>
	09/816,942	KITSON ET AL.
	Examiner	Art Unit
	Thoi V Duong	2871

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address--

All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. **THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS.** This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.

1.  This communication is responsive to the RCE filed 03/08/2004.
2.  The allowed claim(s) is/are 1,2,4-9,11-27 and 30-76.
3.  The drawings filed on 23 March 2001 are accepted by the Examiner.
4.  Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
  - a)  All    b)  Some\*    c)  None    of the:
    1.  Certified copies of the priority documents have been received.
    2.  Certified copies of the priority documents have been received in Application No. \_\_\_\_\_.
    3.  Copies of the certified copies of the priority documents have been received in this national stage application from the International Bureau (PCT Rule 17.2(a)).

\* Certified copies not received: \_\_\_\_\_.

Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application.  
**THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.**

5.  A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.
6.  CORRECTED DRAWINGS ( as "replacement sheets") must be submitted.
  - (a)  including changes required by the Notice of Draftsperson's Patent Drawing Review ( PTO-948) attached
    - 1)  hereto or 2)  to Paper No./Mail Date \_\_\_\_\_.
  - (b)  including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date \_\_\_\_\_.
- Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).
7.  DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.

**Attachment(s)**

1.  Notice of References Cited (PTO-892)
2.  Notice of Draftsperson's Patent Drawing Review (PTO-948)
3.  Information Disclosure Statements (PTO-1449 or PTO/SB/08),  
Paper No./Mail Date 0304
4.  Examiner's Comment Regarding Requirement for Deposit  
of Biological Material
5.  Notice of Informal Patent Application (PTO-152)
6.  Interview Summary (PTO-413),  
Paper No./Mail Date \_\_\_\_\_.
7.  Examiner's Amendment/Comment
8.  Examiner's Statement of Reasons for Allowance
9.  Other \_\_\_\_\_.

## DETAILED ACTION

### ***Continued Examination Under 37 CFR 1.114***

1. A request for continued examination under 37 CFR 1.114, including the fee set forth in 37 CFR 1.17(e), was filed in this application after allowance or after an Office action under *Ex Parte Quayle*, 25 USPQ 74, 453 O.G. 213 (Comm'r Pat. 1935). Since this application is eligible for continued examination under 37 CFR 1.114, and the fee set forth in 37 CFR 1.17(e) has been timely paid, prosecution in this application has been reopened pursuant to 37 CFR 1.114. Applicant's submission filed on March 08, 2004 has been entered.
2. Claims 3, 10, 28 and 29 were cancelled. Claims 1, 2, 4-9, 11-27 and 30-76 are currently pending in this application.

### ***Information Disclosure Statement***

3. The information disclosure statement (IDS) submitted on March 08, 2004 was filed after the mailing date of the Notice of Allowance on February 19, 2004. The submission is in compliance with the provisions of 37 CFR 1.97. Accordingly, the information disclosure statement is being considered by the examiner.

## EXAMINER'S AMENDMENT

4. An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

Authorization for this examiner's amendment was given in a telephone interview with Paul D. Greeley on June 03, 2004.

In the claims:

Claim 78 is misnumbered: please change to claim 76.

***Allowable Subject Matter***

5. Claims 1, 2, 4-9, 11-27 and 30-76 are allowed.

The following is an examiner's statement of reasons for allowance: none of the prior art of record fairly suggests or shows all of the limitations as claimed. Specifically,

Re claims 1, 30 and 54, none of the prior art of record discloses, in combination with other limitations as claimed, a surface alignment comprising an array of posts which have at least one of a shape and an orientation to induce a liquid crystal director adjacent said posts to adopt two different tilt angles in substantially the same azimuthal direction,

wherein said posts are arranged in one of a random or pseudorandom array;

wherein at least part of a side wall of said posts is tilted at a tilt angle in the range of about 5 to 7 degrees with respect to the normal to the plane of the first cell wall; and

wherein said posts have a cross section selected from the group consisting of circle shape, square shape, oval shape, and diamond shape.

The most relevant reference, USPN 6,456,348 B2 of Bryan-Brown et al., fails to disclose or suggest a surface alignment comprising an array of posts arranged in one of a random or pseudorandom array, or tilted at a tilt angle in the range of about 5 to 7 degrees, or having a cross section selected from the group consisting of circle shape,

Art Unit: 2871

square shape, oval shape, and diamond shape. The reference of Bryan-Brown et al. only discloses a bistable nematic liquid crystal device having a surface alignment grating that permits the liquid crystal molecules to adopt two different pretilt angles in the same azimuthal plane, wherein the grating may be provided with small pillars (or posts) (col. 3, lines 30-35 and lines 56-63).

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

***Conclusion***

6. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Thoi V. Duong whose telephone number is (571) 272-2292. The examiner can normally be reached on Monday-Friday from 8:30 am to 4:30 pm.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Robert Kim, can be reached at (571) 272-2293.

Thoi Duong



12/29/2004



TARIFUR R. CHOWDHURY  
PRIMARY EXAMINER